

Specifications



Eaton 196845

Eaton Distribution parts. Analogue Light intensity switch, DIN rail 1 TE, 1 NO contact, external light sensor Surface-mounted, 2-2000 Lux

General specifications

PRODUCT NAME	Eaton Distribution parts
CATALOG NUMBER	196845
MODEL CODE	SRSD1NOW
EAN	9008790990410
PRODUCT LENGTH/DEPTH	65.5 mm
PRODUCT HEIGHT	85.5 mm
PRODUCT WIDTH	17.5 mm
PRODUCT WEIGHT	0.121 kg
COMPLIANCES	RoHS conform
GLOBAL CATALOG	196845

EATON

Powering Business Worldwide

Product specifications

MOUNTING METHOD	DIN rail
ADJUSTMENT RANGE BRIGHTNESS VALUE - MAX	2000 lx
ADJUSTMENT RANGE BRIGHTNESS VALUE - MIN	2 lx
CONDUCTOR LENGTH LIGHT SENSOR - MAX	50 m
FREQUENCY RATING - MAX	60 Hz
FREQUENCY RATING - MIN	50 Hz
HEAT DISSIPATION CAPACITY	0.8 W
INCANDESCENT LAMP LOAD - MAX	2600 W
LOAD FLUORESCENT LAMP - MAX	2300 VA
LOAD FLUORESCENT LAMP (DUO CIRCUIT) - MAX	2300 VA
LOAD FLUORESCENT LAMP (PARALLEL COMPENSATED) - MAX	730 VA
RATED OPERATIONAL VOLTAGE (UE) - MAX	230 V
DEGREE OF PROTECTION	IP55
RATED SWITCH CURRENT	16 A
STATIC HEAT DISSIPATION, NON-CURRENT-DEPENDENT	0.3 W
SWITCHING CURRENT (COS PHI = 0.6) - MAX	10 A
SWITCHING POWER LED - MAX	350 W
VOLTAGE RATING OF LIGHT SENSOR	0 V
WIDTH IN NUMBER OF MODULAR SPACINGS	1
BUILT-IN DEPTH	65.5 mm
DEGREE OF PROTECTION (LIGHT SENSOR)	IP54
MOUNTING METHOD (LIGHT SENSOR)	Wall surface mounted
PROTECTION CLASS (LIGHT SENSOR)	II

Resources

DECLARATIONS OF CONFORMITY	eaton-distribution-parts-declaration-of-conformity-eu250239en.pdf
DRAWINGS	eaton-3d-drawing-srsd1no-anschl.jpg eaton-dimensions-mas-ds-ta-1s.jpg

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. All Rights Reserved.