

Specifications



Eaton 248293

Eaton Distribution parts. Remote tripping module, for PFIM, PFHM-4p, dRCM

General specifications

PRODUCT NAME	Eaton Distribution parts
CATALOG NUMBER	248293
MODEL CODE	Z-FAM
EAN	4015082482930
PRODUCT LENGTH/DEPTH	80 mm
PRODUCT HEIGHT	66 mm
PRODUCT WIDTH	9 mm
PRODUCT WEIGHT	0.05 kg
COMPLIANCES	RoHS conform
CERTIFICATIONS	EN45545-2 IEC 61373
GLOBAL CATALOG	248293



Powering Business Worldwide

Product specifications

USED WITH	Trip module Accessory for residual current circuit breaker Accessory
ACCESSORY/SPARE PART TYPE	Residual current release module
MOUNTING METHOD	For fitting on left to: FI
ADDITIONAL EQUIPMENT REQUIRED	Remote release
AMBIENT OPERATING TEMPERATURE - MAX	40 °C
AMBIENT OPERATING TEMPERATURE - MIN	-5 °C
ASSEMBLY WIDTH	0.5 TE
NUMBER OF CONTACTS (CHANGE-OVER CONTACTS)	0
NUMBER OF CONTACTS (NORMALLY CLOSED CONTACTS)	0
NUMBER OF CONTACTS (NORMALLY OPEN CONTACTS)	1
NUMBER OF POLES AT MAIN CONTACT UNIT - MAX	0
NUMBER OF SWITCHES (FAULT SIGNAL)	0
VOLTAGE TYPE	AC
FUNCTIONS	Remote drive
DEVICE FITTING	Earth leakage switch
TYPE	<ul style="list-style-type: none"> • Accessory • Accessory for residual current circuit breaker
APPLICATION	Switchgear for industrial and advanced commercial applications
RATED OPERATIONAL VOLTAGE (UE) - MAX	400 V
RATED SWITCH CURRENT	0 A
SUITABLE FOR CURRENT OF MAIN CONTACT UNIT - MAX	0 A

Resources

DECLARATIONS OF CONFORMITY	eaton-distribution-parts-declaration-of-conformity-eu250362en.pdf
DRAWINGS	eaton-dimensions-mas-fam.jpg
ECAD MODEL	ETN.Z-FAM.edz
INSTALLATION INSTRUCTIONS	IL019176ZU
MANUALS AND USER GUIDES	DA-MN-150501258
MCAD MODEL	z_fam.stp eaton-auxiliary-switches-mcad-drawings-z-fam-z-fw-003-z-hk-fip-xhi11.dwg z_fam.dwg
WIRING DIAGRAMS	FAM

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. All Rights Reserved.