

Specifications

Eaton 24TDMEJ40

Fuse-link, medium voltage, 40 A, AC 24 kV, 2", 51 x 442 mm, back-up, DIN, with striker



General specifications

PRODUCT NAME	Eaton Bussmann series medium voltage DIN fuse
CATALOG NUMBER	24TDMEJ40
UPC	051712186346
EAN	5027590245869
PRODUCT LENGTH/DEPTH	442 mm
PRODUCT HEIGHT	54 mm
PRODUCT WIDTH	51 mm
PRODUCT WEIGHT	2500 g
WARRANTY	Not Applicable
COMPLIANCES	DIN 43625 VDE 0670-4 IEC 60282-1
CERTIFICATIONS	IEC Rated
GLOBAL CATALOG	24TDMEJ40



Powering Business Worldwide

Product specifications

USED WITH	270303 Fuse clip A3354710 Fuse clip
AMPERAGE RATING	40 A
FUSE INDICATOR	With Striker
FUSE SIZE	51 x 442 mm
BREAKING CAPACITY	50 kA
INSTALLATION TECHNIQUE	Air
PERFORMANCE CAT ACCORDING TO IEC 60282-1	Back-up
PRODUCT APPLICATION	Primary side transformer protection
RATED FREQUENCY - MAX	50 Hz
RATED FREQUENCY - MIN	50 Hz
RELEASE CHARACTERISTIC	Other
STANDARD	DIN
UTILIZATION CATEGORY	Other
VOLTAGE TYPE	AC
WITH STRIKER	Yes
CLASS	Class back-up
BARRELS	1
CONSTRUCTION TYPE	Bolt-on
PRE ARC (I2T)	2.4 x 1000
RESISTANCE	34.3 Ohms
WATT LOSSES	79 W
FUSE DIAMETER	51 mm
COLOR	Brown
INTERRUPT RATING	50 kAIC
CONSTRUCTION SIZE	51 x 442 mm
MOUNTING METHOD	Clip-in
PACKAGING TYPE	Standard
QUANTITY	1
VOLTAGE RATING	24 kV
TYPE	Fuse
SPECIAL FEATURES	Back-up, Transformer protection, Indoor or outdoor use
APPLICATION	<ul style="list-style-type: none">• transformer protection• indoor or outdoor

Resources

CATALOGS	24TDMEJ40~Eaton Bussmann series medium voltage DIN fuse Bussmann series complete full line catalog no. 1007
MCAD MODEL	eaton-mv-din-dimensioned-general-purpose-fuses-mcad-3d-models-24tdmej-6-3-50a.stp
TECHNICAL DATA SHEETS	720104 12kV DIN medium voltage fuses 720105 17.5kV DIN medium voltage fuses 720106 24kV DIN medium voltage fuses

use

FUSE TYPE

TDMEJ

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

