

ECG42PT



Specificatii

Cod ETI	001101182
Descriere	ECG42PT
Denumire clasă	Cutie distribu ie
Curent nominal (A)	63
Tensiunea nominală(V)	400
Tip montaj	Culoare aplicată
Grad de protec ie IP	IP40
Clasa de protec ie	II
Numarul de module (total / pe rand)	42 / 14
Dimensiune (numarul de randuri)	3
Usa (material, culoare)	Plastic, transparent
Parte inferioara cutie (material, culoare)	Plastic, alb
Numarul de terminale PE/N (conexiuni)	15 / 15
Test pentru fire (°C)	650

Pagina de produse online 

Alta documentatie



Catalog caracteristici tehnice

Model 3D

Manual de instructiuni

Declaratie CE

Eplan mușchi

BIM mușchi

ETIM clasificare internationala

Clasificare	EC000214
Denumire clasă	Small distribution board
Mounting method	Flush-mounted (plaster)
Number of rows	3
Width in number of modular spacings	14
Housing material	Plastic
Height	592mm
Width	346mm
Depth	87mm
Built-in depth	88mm
DIN-rail	1
With mounting plate	
EMC-version	1
Colour	White
Degree of protection (IP)	IP40

Desen cotat

Flush mounted distribution board						
type	Dimensions					Max. allowed power losses when Max. number of devices are installed Pde
	A	B	C	H	W	
ECG14	274 mm	306 mm	87 mm	317 mm	346 mm	31 W
ECG28	399 mm	306 mm	87 mm	442 mm	346 mm	40 W
ECG42	549 mm	306 mm	87 mm	592 mm	346 mm	50 W
ECG56	673 mm	306 mm	87 mm	717 mm	346 mm	60 W
ECG70	799 mm	306 mm	87 mm	842 mm	346 mm	70 W

