

MOD.ETITEC B T12 255/50



Specificatii

Cod ETI	002440310
Descriere	MOD.ETITEC B T12 255/50
Denumire clasă	Protec ie supratensiuni
Func ie	Modul SPD
Tip	T1, T2
Utilizare cu	ETITEC B T12

[Pagina de produse online](#) 

Alta documentatie



[Catalog caracteristici tehnice](#)

[Model 3D](#)

[Manual de instructiuni](#)


[Declaratie CE](#)

[Eplan mușchi](#)


ETIM clasificare internațională

Clasificare	EC001457
Denumire clasă	Combined arrester for power supply systems
System configuration DC	
System configuration IT	
System configuration TN	1
System configuration TN-C	1
System configuration TN-S	1
System configuration TT	1
System configuration other	
Number of poles	1
Lightning impulse current (10/350 μs)	100
Max. continuous voltage AC	255
Nominal voltage AC	230
Mounting method	On basic element
Construction size	2 modular spacing
Signalling at the device	Optical
Test class	Type 1 + 2
Exhausting	
Integrated backup fuse	
Degree of protection (IP)	IP20


Desen cotat




Simbol/Conexiune




ETITEC BT12 G




ETITEC BT12 1+0 RC




ETITEC BT12 1+1 RC




ETITEC BT12 2+0 RC



ETITEC BT12 3+0 RC



ETITEC BT12 3+1 RC



ETITEC BT12 4+0 RC