

CRM-4



Specificatii

Cod ETI	002470012
Descriere	CRM-4
Denumire clasă	Comutator scară
Func ie	Releu de timp
Curent nominal (A)	16
Categorie	Comutator crepuscular si de scara
Număr contacte CO	1
Tipul voltajului	AC
Tensiunea de alimentare (V)	230
Numarul de contacte	1
Capacitatea maxima de incarcare AC1 (VA)	4000

[Pagina de produse online](#) 

Alta documentatie



[Catalog caracteristici tehnice](#)

[Model 3D](#)

[Manual de instructiuni](#)

[Declaratie CE](#)



[Eplan mușchi](#)

ETIM clasificare internationala


Clasificare	EC000297
Denumire clasă	Staircase lighting timer
Function	Electronic
Mounting method	DIN rail
Width in number of modular spacings	1
Built-in depth	68mm
Control voltage 1	230...230V
Type of control voltage 1	AC
Frequency control voltage 1	50...60Hz
Rated switch current	16A
Release-delay	0.08...10min
Supply voltage	230...230V
Voltage type (supply voltage)	AC

Desen cotat


1-module design





Simbol/Conexiune



3-wire connection



4-wire connection



Descriere

Supply terminals

Controlling contact

Output indication

Function setting

Time setting

Output contact

