

HRH-5



Specificatii

Cod ETI	002471715
Descriere	HRH-5
Denumire clasă	Releu control
Func ie	Relee monitorizare și control
Curent nominal (A)	8
AC Tensiunea bobinei Uc (V)	24-240
Număr contacte CO	1
DC tensiunea nominală a bobinei Uc (V)	24-240
Tipul voltajului	AC/DC
Tensiunea de alimentare (V)	24-240
Numarul de contacte	1
Tipul de control	Nivel monitorizare
Capacitatea maxima de incarcare AC1 (VA)	2500

[Pagina de produse online](#)

Alta documentatie



[Catalog caracteristici tehnice](#)

[Model 3D](#)

[Manual de instructiuni](#)




[Declaratie CE](#)

[Eplan mușchi](#)

ETIM clasificare internationala

Clasificare	EC001447
Denumire clasă	(Fill) level monitoring relay
Type of electric connection	Clip connection
Rated control supply voltage AC 50 Hz	24...240V
Number of inputs for electrodes	2
Min. adjustable operate delay time	0,5s
Max. permitted operate delay time	10s
Response value sensitivity adjustable	1
Number of contacts as change-over contact	1
Physical measurement principle	Conductive
Width	18mm
Height	90mm
Depth	65mm

Simbol/Conexiune



Descriere

