

CE07.01-400V-50/60Hz



Specificatii

Cod ETI	004641014
Descriere	CE07.01-400V-50/60Hz
Denumire clasă	Miniatură contactor
Funcție	Contactoare miniatură
I (AC1) (A)	16
I (AC3 400V) (A)	7
P (AC3 kW) (kW)	3
Număr de contacte auxiliare NC	1
Număr de contacte NC	0
Număr de contacte auxiliare NO	0
Număr contacte NO	3
Tensiunea nominala (V AC)	400
Tensiunea de control Uc (V AC)	400V

[Pagina de produse online](#)

Alta documentatie



[Catalog caracteristici tehnice](#)

[Model 3D](#)

[Manual de instructiuni](#)



[Declaratie CE](#)

[Eplan mușchi](#)


ETIM clasificare internationala

Clasificare	EC000066
Denumire clasă	Power contactor, AC switching
Rated control supply voltage AC 50 Hz	400...400V
Rated control supply voltage AC 60 Hz	400...400V
Voltage type for actuating	AC
Rated operation current I _e at AC-1, 400 V	16A
Rated operation current I _e at AC-3, 400 V	7A
Rated operation power at AC-3, 400 V	3kW
Number of auxiliary contacts as normally closed contact	1
Type of electrical connection of main circuit	Frame clamp
Number of normally open contacts as main contact	3


Desen cotat



Schema de conexiuni



CE07.10



CE07.01

