

## CEC09.PR 24V-DC



### Specificatii

|                                |                       |
|--------------------------------|-----------------------|
| Cod ETI                        | 004641215             |
| Descriere                      | CEC09.PR 24V-DC       |
| Denumire clasă                 | Miniatură contactor   |
| Funcie                         | Contactoare miniatură |
| I (AC1) (A)                    | 20                    |
| I (AC3 400V) (A)               | 9                     |
| P (AC3 kW) (kW)                | 4                     |
| Număr de contacte NC           | 2                     |
| Număr de contacte auxiliare NO | 0                     |
| Număr contacte NO              | 2                     |
| Tensiunea nominala (V AC)      | 400                   |
| Tensiunea de control Uc (V DC) | 24V                   |

Pagina de produse online [🔗](#)

### Alta documentatie



Catalog caracteristici tehnice

Model 3D

Manual de instructiuni

Declaratie CE



Eplan mușchi

## ETIM clasificare internationala


|   |                               |
|---|-------------------------------|
| Clasificare   | EC000066                      |
| Denumire clasă  | Power contactor, AC switching |
| Rated control supply voltage DC                       | 24...24V                      |
| Voltage type for actuating                            | DC                            |
| Rated operation current I <sub>e</sub> at AC-1, 400 V | 20A                           |
| Rated operation current I <sub>e</sub> at AC-3, 400 V | 10A                           |
| Rated operation power at AC-3, 400 V                  | 4kW                           |
| Type of electrical connection of main circuit         | Frame clamp                   |
| Number of normally closed contacts as main contact    | 2                             |
| Number of normally open contacts as main contact      | 2                             |

## Schema de conexiuni

|                        |           |
|------------------------|-----------|
| CEC07.4P-230V-50/60Hz  | 004641200 |
| CEC09.4P-230V-50/60Hz  | 004641201 |
| CEC012.4P-230V-50/60Hz | 004641202 |
| CEC016.4P-230V-50/60Hz | 004641203 |
| CEC07.4P-24VDC         | 004641210 |
| CEC09.4P-24VDC         | 004641211 |
| CEC012.4P-24VDC        | 004641212 |
| CEC016.4P-24VDC        | 004641213 |
| CEC07.PR-230V-50/60HZ  | 004641204 |
| CEC09.PR-230V-50/60HZ  | 004641205 |
| CEC012.PR-230V-50/60HZ | 004641206 |
| CEC016.PR-230V-50/60HZ | 004641207 |
| CEC07.PR-24V-DC        | 004641214 |
| CEC09.PR-24V-DC        | 004641215 |
| CEC012.PR-24V-DC       | 004641216 |
| CEC016.PR-24V-DC       | 004641217 |



## Descriere



- 1 - Mini contactor
- 2 - Auxiliary frontal contacts block
- 3 - Mechanical interlock block
- 4 - Surge suppressor blocks
- 5 - Timer
- 6 - Link module for printed circuit board

