

CEM112E.22-28V-AC/DC



Specificatii

Cod ETI	004646018
Descriere	CEM112E.22-28V-AC/DC
Denumire clasă	Contactorul motorului
Func ie	Contactor pentru motoare
I (AC1) (A)	180
I (AC3 400V) (A)	112
P (AC3 kW) (kW)	55
Număr de contacte auxiliare NC	2
Număr de poli	3
Tensiunea nominala (V AC)	1000
Tensiunea de control Uc (V AC)	28
Tensiunea de control Uc (V DC)	28

Pagina de produse online [🔗](#)

Alta documentatie



Catalog caracteristici tehnice

Model 3D

Manual de instructiuni

Declaratie CE



Eplan mușchi

ETIM clasificare internationala

Clasificare	EC000066
Denumire clasă	Power contactor, AC switching
Rated control supply voltage AC 50 Hz	28...28V
Rated control supply voltage AC 60 Hz	28...28V
Rated control supply voltage DC	28...28V
Rated operation current I _e at AC-1, 400 V	180A
Rated operation current I _e at AC-3, 400 V	112A
Rated operation power at AC-3, 400 V	55kW
Modular version	
Number of auxiliary contacts as normally open contact	2
Number of auxiliary contacts as normally closed contact	2
Type of electrical connection of main circuit	Rail connection
Number of normally open contacts as main contact	3

Desen cotat

CEM112(E)
CEM150E



Schema de conexiuni

