

CEM250E.22-28V-AC/DC



Specificatii

Cod ETI	004646030
Descriere	CEM250E.22-28V-AC/DC
Denumire clasă	Contactorul motorului
Func ie	Contactor pentru motoare
I (AC1) (A)	350
I (AC3 400V) (A)	250
P (AC3 kW) (kW)	132
Număr de contacte auxiliare NC	2
Număr de poli	3
Tensiunea nominala (V AC)	1000
Tensiunea de control Uc (V AC)	28
Tensiunea de control Uc (V DC)	28

Pagina de produse online [🔗](#)

Alta documentatie



Catalog caracteristici tehnice

Model 3D

Manual de instructiuni

Declaratie CE


Eplan mușchi

ETIM clasificare internationala

Clasificare	EC000066
Denumire clasă	Power contactor, AC switching
Rated control supply voltage AC 50 Hz	28...28V
Rated control supply voltage AC 60 Hz	28...28V
Rated control supply voltage DC	28...28V
Rated operation current I _e at AC-1, 400 V	350A
Rated operation current I _e at AC-3, 400 V	250A
Rated operation power at AC-3, 400 V	132kW
Modular version	
Number of auxiliary contacts as normally open contact	2
Number of auxiliary contacts as normally closed contact	2
Type of electrical connection of main circuit	Rail connection
Number of normally open contacts as main contact	3

Desen cotat

CEM250(E)
 CEM300(E)



Schema de conexiuni

