

CEM300E.22-415V-AC/DC



Specificatii

Cod ETI	004656305
Descriere	CEM300E.22-415V-AC/DC
Denumire clasă	Contactorul motorului
Func ie	Contactor pentru motoare
I (AC1) (A)	410
I (AC3 400V) (A)	300
P (AC3 kW) (kW)	160
Număr de contacte auxiliare NC	2
Număr de poli	3
Tensiunea nominala (V AC)	1000
Tensiunea de control Uc (V AC)	415
Tensiunea de control Uc (V DC)	415

Pagina de produse online

Alta documentatie



Catalog caracteristici tehnice

Model 3D

Manual de instructiuni

Declaratie CE

Eplan mușchi


ETIM clasificare internationala

Clasificare	EC000066
Denumire clasă	Power contactor, AC switching
Rated control supply voltage AC 50 Hz	415...415V
Rated control supply voltage AC 60 Hz	415...415V
Rated control supply voltage DC	415...415V
Rated operation current I _e at AC-1, 400 V	410A
Rated operation current I _e at AC-3, 400 V	300A
Rated operation power at AC-3, 400 V	160kW
Modular version	
Number of auxiliary contacts as normally open contact	2
Number of auxiliary contacts as normally closed contact	2
Type of electrical connection of main circuit	Rail connection
Number of normally open contacts as main contact	3

Desen cotat

CEM250(E)

CEM300(E)



Schema de conexiuni

