


## \* EB2 400/4LCD 250A 4p APGNSC



### Specificatii

Cod ETI	004672291
Descriere	* EB2 400/4LCD 250A 4p APGNSC
Denumire clasă	Înterupător de circuit în car
Curent nominal (A)	250
Număr de poli	4
Grup Catalog	EB2

[Pagina de produse online](#) 

### Alta documentatie



[Model 3D](#)

[Declaratie CE](#)


[Eplan mușchi](#)

[Catalog caracteristici tehnice](#)

## ETIM clasificare internationala


Clasificare	EC000228
Denumire clasă	Power circuit-breaker for trafo/generator/installation protection
Rated permanent current I <sub>u</sub>	250A
Rated short-circuit breaking capacity I <sub>cu</sub> at 400 V, 50 Hz	50/50kA
Overload release current setting	100...250A
Adjustment range short-term delayed short-circuit release	250...2500A
Adjustment range undelayed short-circuit release	1400...3250A
Integrated earth fault protection	1
Type of electrical connection of main circuit	Screw connection
Device construction	Built-in device fixed built-in technique
With switched-off indicator	1
Number of poles	4
Type of control element	Rocker
Motor drive integrated	
Motor drive optional	1
Degree of protection (IP)	IP20

# Caracteristici



# Desen cotat

## Front connected



## Rear connected

