


Date tehnice pentru produs: DTWT093130

Dulap de perete DT, 9U H=463 x W=312 x D=300, 10"

ATENȚIE !!! - expedierea acestor produse prin curier se face doar pe răspunderea clientului, există riscul deteriorării sale în timpul transportului.



SCHRACK-Info

Space-saving 10" network enclosure for wall mounting. Primarily used in small offices, private flats and single-family homes. Network distributor in installations where standard-compliant, structured cabling is implemented with the smallest possible space requirement.

- **Material:** Powder-coated steel sheet housing
- **Material thickness:**
 - Top and bottom chassis: 0.8mm
 - Rails: 1.5mm
 - Front door (glass): 4.0mm
 - Rear panel: 1.2mm
 - Side panel: 0.8mm
- **Colour:** RAL7035 (light grey)
- **Heights:** 9U
- **Width:** 312mm
- **Depth:** 300mm
- **Maximum load:** with even distribution: 20kg
- **Degree of protection:** IP20


- **Doors:** Glass door of safety glass 4mm including lock and 2 keys. Door hinged on the right. Conversion to left hinged possible. Opening angle of the door: approx. 200°.
- **Rails:** 10" rails (2 pieces) in the front of the cabinet, galvanised, depth-adjustable
- **Cable entry options:** in roof and floor
 - The floor is provided with a plastic blank cover.
 - The roof is equipped with a brush entry.
- **Cooling:** Passive cooling through ventilation slots and heat exchange with the outside area.
- **Accessories:** Numerous accessories available (PDUs, cable management, etc.)
- **Delivery:** Enclosure is completely assembled. Mounting material optionally available (DTSRA0x0)




Fișe tehnice

Lățime netă (mm)	312,00
Înălțime (mm)	464,00
Adâncime netă (mm)	300,00
Masă netă (kg.)	6,80
COD EAN	9004840868920
Temperatura minimă a mediului ambiant (°C)	5
Temperatura maximă a mediului ambiant (°C)	40
UV	9
Culoare	Gri deschis
grad de protecție	IP20
Încărcare maximă (kg.)	20
Serie	S-RACK


Desen dimensional: Dulap de perete DT, 9U H=463 x W=312 x D=300, 10"




Desen dimensional: Dulap de perete DT, 9U H=463 x W=312 x D=300, 10"



Desen dimensional: Dulap de perete DT, 9U H=463 x W=312 x D=300, 10"




Top view




Bottom view

Desen dimensional: Dulap de perete DT, 9U H=463 x W=312 x D=300, 10"



Isometric view

Desen dimensional: Dulap de perete DT, 9U H=463 x W=312 x D=300, 10"



Exploded view

Tabel articole

Descriere	Cod comandă
Dulap de perete DT, 9U H=463 x W=312 x D=300, 10"	
ATENȚIE !!! - expedierea acestor produse prin curier se face doar pe răspunderea clientului, există riscul deteriorării sale în timpul transportului.	DTWT093130
Accesorii opționale	
Patchpanel 10" gol pt.12 module Keystone	HSER0120GS
Patchpanel Cat.6 10 GB Class Ea, 10", ecranat 10xRJ45G	HSERG106GV
Tavă fixă 10", D=150mm, profil jos, RAL7035	DTWTZ00001
Perie intrare cabluri 10", 0,5U, RAL7035	DTWTZ00002
Panou 10" 1U, RAL7035	DTWTZ00003
Switch Smart Lite 8xRJ45 10/100/1000, 10" 8 x 10/100/1000Base-T RJ45 Port, cu sursă de alimentare	QLGES2208
Switch Smart Lite 16xRJ45 10/100/1000, 10" 16 x 10/100/1000Base-T RJ45 Port, cu sursă de alimentare	QLGES2216
Switch 8xRJ45 10/100/1000 Silent, sursă alim. externă, Desk Desktop, Metal-chassis	QLGEU0822
PDU 10", 3xSchuko, profil ALU 1U, cablu conexiune 2m,RAL7035	IU070122
PDU 10", 3x UTE, profil ALU 1U, cablu conexiune 2m, RAL7035	IU070123
PDU 10", 3x Schuko, 1U, cablu 2m, Negru, ALU Profil de Aluminiu	Q7070122
PDU 10", 4x Schuko, 1U, cablu 2m, comutator, Negru, ALU Profil de Aluminiu	Q7070132
Suport 10" pt. ap. modular, cu plastron decupat, 3U, RAL7035	DAB34812